



Order Code	Total Length (L) ± 5mm	Insertion Length (A) with MKT1/2/3 ± 5mm (0.2 in)
SRV-SLS-BM-1000	1160 mm (46 in)	250 to 880 mm (10 to 38 in)





SRV-SLS-L1000-CLW-BMV

This drawing remains property of rheonics. It may be neither copied nor informed to third persons or competitors without our approval. (2 paragraph 1 fig.7 copyright act of 9th Sept. 1965)



Protected by US and International patents granted and pending

Order Code	Total Length (L) ± 5mm	Insertion Length (A) with MKT1/2/3 ± 5mm (0.2 in)
SRD-SLS-BM-1000	1160 mm (46 in)	250 to 880 mm (10 to 38 in)




SRD-SLS-L1000-CLW-BMV

This drawing remains property of rheonics. It may be neither copied nor informed to third persons or competitors without our approval. (2 paragraph 1 fig.7 copyright act of 9th Sept. 1965)




Protected by US and International patents granted and pending




Order Code	Total Length (L) $\pm 5\text{mm}$	Insertion Length (A) with MKT1/2/3 $\pm 5\text{mm}$ (0.2 in)
SLS-BM-1000	1160 mm (46 in)	250 to 880 mm (10 to 38 in)


MKT1: Variable A
for open tanks



MKT2: Fixed A
for open tanks



MKT3: Fixed A for
closed tanks and pipes



Units: mm
[inch]

Mounting SLS-L1000-CLW-BMV

This drawing remains property of rheonics. It may be neither copied nor informed to third persons or competitors without our approval. (2 paragraph 1 fig.7 copyright act of 9th Sept. 1965)

Protected by US and International patents granted and pending

rheonics • Switzerland • USA • www.rheonics.com • info@rheonics.com +41 52 511 32 00 +1 713 364 5427

Release:27836 A/A

